


Free COVID-19 Vaccinations

2019冠狀病毒病免費疫苗接種



Fosun/BioNTech "Comirnaty" Bivalent Vaccine
For persons aged 12 or above
復星「復必泰」二價疫苗適合12歲或以上人士

BOOK NOW
立即預約



Members of the public may make appointment via our website
公眾可通過本院網站預約



Existing clients may make real-time bookings via the HKAH mobile app
現有客戶可通過手機程式作實時預約

Effective Date 生效日期：2023/01/04

COVID-19 Vaccination

Fosun/BioNTech “Comirnaty” Bivalent Vaccine

For persons aged 12 or above
Sunday to Tuesday#
From 14:00 to 18:00

Except Hospital Holiday

Vaccination Process

1. Online Booking	2. Arrive and register	3. Sign the consent form	4. Vaccination	5. Proceed to resting area
<p>After receiving your booking request, you will be contacted within 2 days.</p> <p>Existing clients of HKAH – SR may make appointment via HKAH mobile app for real-time booking.</p> <p>Walk-in services are not available.</p>	<p>Arrive 15 minutes prior to your appointed time for screening at the hospital’s front entrance.</p> <p>You will then be asked to register at the out-patient registration desk, after which you will be directed by hospital staff to waiting area 3 located in the out-patient department on the ground floor.</p>	<p>Medical staff will briefly review important information about the vaccine with you and ask you to sign a consent form.</p>	<p>Medical staff will administer the vaccine, and provide you with a printed record of your vaccination.</p>	<p>Rest for 15 to 30 minutes at the waiting area.</p> <p>You may leave the hospital if you do not experience any adverse reactions within this time.</p>

HKAH – SR is offering Fosun/ BioNTech “Comirnaty” bivalent vaccine to eligible persons. Please refer to the government website for most updated information before making the appointment: <https://www.covidvaccine.gov.hk/en/>

- If you have a history of severe allergic reactions to any type of medication, vaccine, or component of any vaccine, please do consult your doctor or a specialist in immunology and allergy in advance.
- If you suffer from: (1) chronic illness; or (2) other conditions that may affect your suitability to receive the vaccine, please do consult your doctor in advance.
- If you have received COVID-19 vaccine outside Hong Kong, which was neither CoronaVac nor Comirnaty, please seek for professional advice at Government Community Vaccination Centre.

Please note before arriving at HKAH – SR:

1. All patients and visitors must abide by the hospital’s infection control and triage procedures.
2. Please wear a mask at all times and maintain social distance.
3. Please bring your personal identification (i.e. Hong Kong identity card or Hong Kong birth certificate) and SMS message confirming your booking. Moreover, please also bring your proof of immunocompromised individuals and/ or child vaccination record booklet if needed.



FAQs

Q1. Which COVID-19 vaccine does HKAH – SR provide?

HKAH – SR is offering Fosun/BioNTech “Comirnaty” bivalent vaccine to eligible persons. **Prior to making a booking, please read through the vaccination fact sheet on government website ([HERE](#)).**

Q2. What should I do if I experience side effects after vaccination?

Prior to making a booking, please read through the vaccination fact sheet on government website ([HERE](#)).

Generally, common side effects of the COVID-19 vaccine are minor and temporary. Some people may experience more serious side effects, though this is rare. After vaccination, you will be asked to wait at the waiting area for 15 to 30 minutes.

To alleviate pain at the injection site, try applying a cool compress made with a damp towel and move your arm around. Drink more water to relieve discomfort caused by a low fever.

If you experience any of the following, please consult a doctor or medical professional:

- Redness or pain at the injection site that worsens 24 hours after injection
- Side effects that do not subside after a few days, or
- Side effects that are worrying you

To learn more about possible side effects, please refer to the information provided by the Center for Health Protection (CHP) [HERE](#).

Q3. What should I do if I experience discomfort or serious side effects while waiting in the rest area?

Medical staff will ensure your side effects are stabilized before transferring you to a public hospital for follow-up treatment if necessary.

Q4. What should I do if the results show that I am unsuitable for the COVID-19 vaccination?

If you are determined to be unsuitable for the COVID-19 vaccine, please reschedule your appointment immediately.

Q5. How to make an appointment and get the additional dose(s) of COVID-19 vaccine?

Please refer to “Vaccination Process: Online Booking”.

Q6. Who are eligible for the certain groups of people who can receive the additional dose(s) of COVID-19 vaccine?

To learn more, please refer to the information provided by the Center for Health Protection (CHP) [HERE](#).

Q7. Who is required to provide a consent form for getting COVID-19 vaccinations?

For clients aged from 12 to 17 years, it is requested to provide a consent form signed by their parents/ guardians for getting their COVID-19 vaccinations. The consent form can be downloaded [HERE](#).

2019冠狀病毒病疫苗

復星「復必泰」二價疫苗

12歲或以上人士
星期日至二#
下午2時至6時

#醫院假期除外

接種2019冠狀病毒病疫苗流程

1. 網上預約

我們會於收到您的預約要求 2 天內與您聯繫。

本院現有客戶請通過香港港安醫院手機應用程式作實時預約。

如沒有預約，恕未能提供此服務。

2. 到院登記

預約時間前15分鐘到本院正門篩查站接受篩查，然後到門診登記處登記，並請按職員指示到地下門診部3號區等候。

3. 簽署同意書

醫護人員會向閣下簡述接種疫苗的注意事項，並要求簽署同意書。

4. 接種疫苗

醫護人員為閣下接種疫苗，並列印接種疫苗紀錄予閣下。

5. 到休息區

請到休息區休息15至30分鐘，沒有不良反應便可以離開。

符合條件的人士可以於本院接種復星「復必泰」二價疫苗。預約接種前，請參考政府網站查看最新的資訊：<https://www.covidvaccine.gov.hk/zh-HK/>

- 如閣下有嚴重過敏史、對多過一種藥物類別過敏、或對藥物、其他致敏原或任何疫苗有嚴重過敏反應，請先諮詢閣下的家庭醫生或免疫及過敏病科專科醫生。
- 如閣下（1）患有慢性疾病或（2）有其他疾病而不確定是否適合接種疫苗，請先諮詢閣下的家庭醫生。
- 如在香港以外地區接種過 2019 冠狀病毒病疫苗，且所接種的不是科興「克爾來福」疫苗或復星「復必泰」疫苗，請到政府社區疫苗接種中心尋求專業意見。

到院前重要注意事項：

1. 所有到院人士須依從既定的感染控制及分流程序。
2. 敬請在院內佩戴外科口罩並保持社交距離。
3. 敬須帶備身份證明文件（即香港居民身份證或香港出生證明）和預約確認短訊。如有需要，也請帶備閣下的免疫力弱人士證明和/或兒童疫苗接種記錄冊。



常見問題

Q1: 香港港安醫院—司徒拔道提供哪一種 2019 冠狀病毒病疫苗？

目前，符合條件的人士可以於本院接種復星「復必泰」二價疫苗。預約接種前，請務必細閱政府網站上的疫苗接種須知(請[按此](#))。

Q2. 如果接種 2019 冠狀病毒病疫苗後懷疑有副作用，該怎麼辦？

預約接種前，請務必到政府網站細閱疫苗接種須知，詳細請[按此](#)。

一般而言，疫苗常見的副作用通常輕微而且是暫時的。部份人士亦可能出現較嚴重，但一般較罕見的異常反應。接種疫苗後，閣下將被要求在休息區逗留 15 至 30 分鐘。

如要減輕注射部位疼痛和不適，可使用乾淨清涼的濕毛巾敷在該位置，稍微活動一下手臂。多喝一點清水以減低輕微發燒引起的不適。

如出現以下情況，請徵詢閣下的醫生或其他醫護人員：

- 接種 24 小時後注射部位發紅或觸痛增加；或
- 副作用似乎不會在幾天內消失；或
- 副作用或徵狀使閣下擔心

有關副作用詳情，請瀏覽衛生署衛生防護中心公佈的資料，詳情請[按此](#)。

Q3. 接種疫苗後，如在休息區期間感到不適或出現嚴重副作用，該怎麼辦？

醫護人員會先穩定閣下的副作用反應，如有需要會盡快安排轉送到公立醫院作出跟進。

Q4. 如到院後被評估為不適合接種 2019 冠狀病毒病疫苗，該怎麼辦？

如閣下被評估為不適合接種 2019 冠狀病毒病疫苗，請即時更改預約。

Q5. 如何預約和接種 2019 冠狀病毒病疫苗加強劑？

請參閱『接種 2019 冠狀病毒病疫苗流程：網上預約』。

Q6. 哪些合資格的特定組別人士可接種 2019 冠狀病毒病疫苗加強劑？

詳情請參閱衛生防護中心提供的資料(請[按此](#))。

Q7. 誰需要提供同意書才能接種 2019冠狀病毒病疫苗？

12 歲至 17 歲人士需提供由其父母/監護人所簽署的同意書，以便接種疫苗。請[按此](#)下載同意書。